



www.offtalmoloji.org

E-ISSN: 2149-8709

TURKISH JOURNAL OF OPHTHALMOLOGY

TURKISH JOURNAL OF OPHTHALMOLOGY

TJO

Research Articles

Dry Eye and Meibomian Gland Dysfunction in Neovascular Age-Related Macular Degeneration Patients Treated with Intravitreal Injections
Pelin Kıyat et al.; İzmir, Turkey

Palliative Efficacy of Intrastromal Amniotic Membrane Procedure in Symptomatic Bullous Keratopathy Patients
Onur Furundaoturan et al.; İzmir, Turkey

Evaluation of Choroidal Vascular Index in Amblyopic Patients
Onur Furundaoturan et al.; İzmir, Turkey

Hedgehog Signal Defect Leading to Familial Exudative Vitreoretinopathy-Like Disease and Gastrointestinal Malformation
Nedime Şahinoğlu Keşkek et al.; Adana, Ankara, Turkey

Survey of Intravitreal Injection Preferences for the Treatment of Age-Related Macular Degeneration and Macular Edema Among Members of the Turkish Ophthalmological Association
V. Levent Karabaş et al.; Kocaeli, Ankara, Turkey

Comparison of Reading Test Parameters from the Print and Tablet Application Forms of the Minnesota Low Vision Reading Test
Deniz Altınbay et al.; Adana, Ankara, Turkey

Investigation of the Role of Convolutional Neural Network Architectures in the Diagnosis of Glaucoma using Color Fundus Photography
Eray Atalay et al.; Eskişehir, İzmir, İstanbul, Turkey

Effectiveness, Sensitivity, and Specificity of Intraocular Lens Power Calculation Formulas for Short Eyes
Wiktor Stopyra; Cracow, Poland

Case Reports

Descemet Stripping Endothelial Keratoplasty for Congenital Aniridia: An Interesting and Challenging Story
Ioannis Athanasiadis et al.; Thessaloniki, Greece; Bedford, UK

Asymptomatic Unilateral Full-Thickness Macular Hole in a Patient with Bietti Crystalline Dystrophy During 13-Year Follow-up with Optical Coherence Tomography
Ali Osman Saatci et al.; İzmir, Bursa, Turkey

Sheath-Preserving Complete Optic Nerve Avulsion Following Closed-Globe Injury: A Case Report
Seray Şahin et al.; İzmir, Turkey

Letter to the Editor

Letter to the Editor re: "Refractive and Vision Status in Down Syndrome: A Comparative Study"
Pathum Sookaromdee and Viroj Wiwanitkit; Bangkok, Thailand; Pune, India

Reply to Letter to the Editor

Reply to Letter to the Editor re: "Refractive and Vision Status in Down Syndrome: A Comparative Study"
Hassan Hashemi et al.; Tehran, Iran; Baltimore, MD, USA

TURKISH JOURNAL OF OPHTHALMOLOGY



www.offtalmoloji.org

TJO

Editor-in-Chief

BANU BOZKURT, MD

Selçuk University Faculty of Medicine, Department of Ophthalmology, Konya, Turkey

Areas of Interest: Cornea and Ocular Surface Disease, Glaucoma, Allergy and Immunology

E-mail: drbanubozkurt@yahoo.com

ORCID ID: orcid.org/0000-0002-9847-3521

Associate Editors

SAIT EĞRİLMEZ, MD

Ege University Faculty of Medicine, Department of Ophthalmology, Izmir, Turkey

Areas of Interest: Cornea and Ocular Surface Disease, Contact Lens, Refraction, Cataract and Refractive Surgery

E-mail: saitegrilmez@gmail.com

ORCID ID: orcid.org/0000-0002-6971-527X

HAKAN ÖZDEMİR, MD

Bezmialem Vakıf University Faculty of Medicine, Department of Ophthalmology, İstanbul, Turkey

Areas of Interest: Medical Retina, Vitreoretinal Surgery

E-mail: hozdemir72@hotmail.com

ORCID ID: orcid.org/0000-0002-1719-4265

NILGÜN YILDIRIM, MD

Eskişehir Osmangazi University Faculty of Medicine, Department of Ophthalmology, Eskişehir, Turkey

Areas of Interest: Glaucoma, Cornea and Ocular Surface, Oculoplastic Surgery

E-mail: nyildirim@yahoo.com

ORCID ID: orcid.org/0000-0001-6506-0336

ÖZLEM YILDIRIM, MD

Mersin University Faculty of Medicine, Department of Ophthalmology, Mersin, Turkey

Areas of Interest: Uveitis, Medical Retina, Glaucoma

E-mail: dryildirimoz@hotmail.com

ORCID ID: orcid.org/0000-0002-3773-2497

Statistics Editor

AHMET DİRİCAN,

İstanbul University İstanbul Faculty of Medicine, Department of Biostatistics and Medical Informatics, İstanbul, Turkey

English Language Editor

JACQUELINE RENEE GUTENKUNST, MARYLAND, ABD

Advisory Board

Özgül ALTINTAŞ,

Acıbadem University Faculty of Medicine, Department of Ophthalmology, İstanbul, Turkey

Erdinç AYDIN,

İzmir Katip Çelebi University Atatürk Training and Research Hospital, Clinic of Ophthalmology, İzmir, Turkey

Atila BAYER,

Clinic of Ophthalmology, Dünyagöz Hospital, Ankara, Turkey

Jose M. BENÍTEZ-del-CASTILLO,

Universidad Complutense de Madrid, Hospital Clinico San Carlos, Department of Ophthalmology, Madrid, Spain

M. Pınar ÇAKAR ÖZDAL,

University of Health Sciences Turkey Ulucanlar Göz Training and Research Hospital, Clinic of Ophthalmology, Ankara, Turkey

Murat DOĞRU,

Keio University Faculty of Medicine, Department of Ophthalmology, Tokyo, Japan

Ahmet Kaan GÜNDÜZ,

Ankara University Faculty of Medicine, Department of Ophthalmology, Ankara, Turkey

Elif ERDEM,

Çukurova University Faculty of Medicine, Balcalı Hospital Department of Ophthalmology, Adana, Turkey

Ömer KARTI,

İzmir Demokrasi University Faculty of Medicine, Department of Ophthalmology, İzmir, Turkey

Tero KIVELÄ,

University of Helsinki, Helsinki University Hospital, Department of Ophthalmology, Helsinki, Finland

Sibel KOCABEYOĞLU,

Hacettepe University Faculty of Medicine, Department of Ophthalmology, Ankara, Turkey

Anastasios G.P. KONSTAS,

Aristotle University of Thessaloniki, Department of Ophthalmology, Thessaloniki, Greece

Sedef KUTLUK,

Private Practice, Ankara, Turkey

Anat LOEWENSTEIN,

Tel Aviv University Sackler Faculty of Medicine, Department of Ophthalmology, Tel Aviv, Israel

Mehmet Cem MOCAN,

University of Illinois at Chicago, Department of Ophthalmology and Visual Sciences, Chicago

Halit OĞUZ,

İstanbul Medeniyet University Faculty of Medicine, Department of Ophthalmology, Göztepe Training and Research Hospital, İstanbul, Turkey

Ayşe ÖNER,

Acıbadem Kayseri Hospital, Clinic of Ophthalmology, Kayseri, Turkey

Altan Atakan ÖZCAN,

Çukurova University Faculty of Medicine, Department of Ophthalmology, Adana, Turkey

Ali Osman SAATÇİ,

Dokuz University Faculty of Medicine, Department of Ophthalmology, İzmir, Turkey

H. Nida ŞEN,

George Washington University, National Eye Institute, Department of Ophthalmology, Washington, USA

Sinan TATLIPINAR,

Yeditepe University Faculty of Medicine, Department of Ophthalmology, İstanbul, Turkey

Zeliha YAZAR,

University of Health Sciences Turkey Ankara City Hospital MHC Building Eye Units Division, Ankara, Turkey

Bülent YAZICI,

Private Practice, Bursa, Turkey

The Turkish Journal of Ophthalmology is an official journal of the Turkish Ophthalmological Association.

On Behalf of the Turkish Ophthalmological Association Owner

Ziya KAPRAN

Private Practice, İstanbul, Turkey

Publishing House

Molla Gürani Mah. Kaçamak Sokak No: 21,
34093 Fındıkzade-İstanbul-Turkey

Publisher Certificate Number: 14521

Phone: +90 212 621 99 25 **Fax:** +90 212 621 99 27

E-mail: info@galenos.com.tr

Online Publishing Date: June 2022

International scientific journal published bimonthly.

E-ISSN: 2149-8709



TURKISH JOURNAL OF OPHTHALMOLOGY

TJO



www.ofthalmoloji.org

ABOUT US

The Turkish Journal of Ophthalmology is the only scientific periodical publication of the Turkish Ophthalmological Association and has been published since January 1929. The Journal was first published in Turkish and French in an effort to bring Turkish ophthalmological research to the international scientific audience. Despite temporary interruptions in publication over the intervening decades due to various challenges, the Turkish Journal of Ophthalmology has been published continually from 1971 to the present.

The Journal currently publishes articles in Turkish and English after an independent, unbiased double-blind peer review process. Issues are published electronically six times a year, with occasional special issues.

The aim of the Turkish Journal of Ophthalmology is to publish original research articles of the highest scientific and clinical value at an international level. It also features review articles, case reports, editorial commentary, letters to the editor, educational contributions, and congress/meeting announcements.

The target audience of the Turkish Journal of Ophthalmology includes physicians working in the various areas of ophthalmology and all other health professionals interested in these issues.

The Journal's publication policies are based on the Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals from the International Committee of Medical Journal Editors (ICMJE) (2013, archived at <http://www.icmje.org/>).

The Turkish Journal of Ophthalmology is indexed in the **PubMed/MEDLINE, PubMed Central (PMC), Web of Science-Emerging Sources Citation Index (ESCI), Scopus, TÜBİTAK/ULAKBİM, Directory of Open Access Journals (DOAJ), EBSCO Database, Gale, CINAHL, Proquest, Embase, British Library, Index Copernicus, J-Gate, IdealOnline, Türk Medline, Hinari, GOALI, ARDI, OARE, AGORA, and Turkish Citation Index.**

Open Access Policy

This journal provides immediate open access to its content on the principle that making research freely available to the public supports a greater global exchange of knowledge.

Author(s) and copyright owner(s) grant access to all users for the articles published in the Turkish Journal of Ophthalmology as free of charge.

Open Access Policy is based on rules of Budapest Open Access Initiative (BOAI). By "open access" to [peer-reviewed research literature], we mean its free availability on the public internet, permitting any users to read, download, copy, distribute, print, search, or link to the full texts of these articles, crawl them for indexing, pass them as data to software, or use them for any other lawful purpose, without financial, legal, or technical barriers other than those inseparable from gaining access to the internet itself.

This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 (CC BY-NC-ND) International License.

Copyright

Turkish Journal of Ophthalmology is an open access publication, and the journal's publication model is based on Budapest Open Access Initiative (BOAI) declaration.

All published content is available online, free of charge at www.ofthalmoloji.org/.

The journal's content is licensed under a Creative Commons Attribution-NonCommercial (CC BY-NC-ND) 4.0 International License. Under this Open Access license, you as the author agree that anyone can copy, distribute or reuse the content of your article for non-commercial purposes for free as long as the author and original source are properly cited.

The authors agree to transfer the copyright to the Turkish Ophthalmological Association, if the article is accepted for publication.

Subscription Information

The full text of all issues of the Journal can be accessed free of charge at www.ofthalmoloji.org.

Contact Information

Editor-in-Chief, Banu Bozkurt, MD, Professor of Ophthalmology

Turkish Journal of Ophthalmology

Avrupa Konutları Kale, Maltepe Mah. Yedikule Çırpıcı Yolu Sk. 9. Blok No: 2 Kat:1 Ofis:1 Zeytinburnu-İstanbul-Türkiye

Phone: +90 212 801 44 36/37

Fax: +90 212 801 44 39

Website: <https://www.ofthalmoloji.org/>

E-mail: dergi@ofthalmoloji.org - sekreter@ofthalmoloji.org

Secretary: Selvinaz Arslan

Advertising

Inquiries regarding advertising should be directed to the Editor-in-Chief via the Journal's secretariat.

Advertisement

Applications for advertisement should be addressed to the editorial office.

Address: Avrupa Konutları Kale, Maltepe Mah. Yedikule Çırpıcı Yolu Sk. 9. Blok No: 2 Floor:1 Office:1 Zeytinburnu-İstanbul-Turkey

Phone: +90 212 801 44 36/37; **Fax:** +90 212 801 44 39

Website: www.ofthalmoloji.org

E-mail: dergi@ofthalmoloji.org - sekreter@ofthalmoloji.org

Publisher Contact Information

Galenos Publishing House, Ltd. Şti.

Address: Molla Gürani Mah. Kaçamak Sk. No: 21, 34093 Fındıkzade-İstanbul-Türkiye

Phone: +90 212 621 99 25;

Fax: +90 212 621 99 27

E-mail: info@galenos.com.tr

Information for Authors

Instructions for authors can be found on the Journal website and at www.ofthalmoloji.org.

Material Disclaimer

The opinions and reports stated in all articles published in the Turkish Journal of Ophthalmology are the views of the author(s). They do not reflect the opinions of the Editor-in-Chief, editorial board, or publisher, and these parties accept no responsibility for these articles.



TURKISH JOURNAL OF OPHTHALMOLOGY

TJO



www.ofthalmoloji.org

INSTRUCTIONS TO AUTHORS

The Turkish Journal of Ophthalmology is the official periodical of the Turkish Ophthalmological Association and accepts manuscripts written in Turkish and English. Each issue is published electronically in both Turkish and English. Manuscripts submitted in Turkish should be consistent with the Turkish Dictionary and Writing Guide ("Türkçe Sözlüğü ve Yazım Kılavuzu") of the Turkish Language Association, and care should be taken to use the Turkish forms of words. The Turkish Journal of Ophthalmology charges no submission or manuscript processing fee.

Contributions submitted to the Journal must be original and not published elsewhere or under consideration for publication by another journal.

Reviewed and accepted manuscripts are translated either from Turkish to English or from English to Turkish by the Journal through a professional translation service. Prior to publication, the translations are sent to the authors for approval or correction requests, to be returned within 3 days. If no response is received from the corresponding author within this period, the translation is checked and approved by the editorial board.

Turkish Journal of Ophthalmology is abbreviated as TJO, but should be denoted as Turk J Ophthalmol when referenced. In the international index and database, the journal is registered as Turkish Journal of Ophthalmology, abbreviated as Turk J Ophthalmol.

Scientific and ethical liability for a contribution remains with the author(s) and copyright is held by TJO. Authors are responsible for article contents and accuracy of the references. Manuscripts submitted for publication must be accompanied by the Copyright Transfer Form signed by all contributing authors. By submitting this form, the authors guarantee that the manuscript and the data therein are not previously published or being evaluated for publication elsewhere and declare their scientific contribution and liability.

All manuscripts submitted to TJO are screened for plagiarism using iThenticate. Results indicating plagiarism may result in manuscripts being returned or rejected.

Experimental, clinical and drug studies requiring approval by an ethics committee must be submitted to TJO with an ethics committee approval report confirming that the study was conducted in accordance with international agreements and the Helsinki Declaration (2013 revision) (<https://www.wma.net/policies-post/wma-declaration-of-helsinki-ethical-principles-for-medical-research-involving-human-subjects>). Information regarding ethical approval and patient informed consent for the study should be indicated in the Materials and Methods section. For experimental animal studies, the authors should include a statement confirming that the study procedures were in accordance with animal rights as per the Guide for the Care and Use of Laboratory Animals (<http://oacu.od.nih.gov/regs/guide/guide.pdf>) and that animal ethics committee approval was obtained.

If an article includes any direct or indirect commercial connections or if any institution provided material support for the research, authors must include a statement in the cover letter stating that they have no commercial relationship with the relevant product, drug, pharmaceutical company, etc. or specifying the nature of their relationship (consultant, other agreements).

All individuals and organizations from which the authors received any form of assistance and other support should be declared, and the Conflicts of Interest Form should be used to explain any conflicts of interest.

All contributions are evaluated by the editor-in-chief, associate editors, and independent referees.

The Turkish Journal of Ophthalmology uses an independent, unbiased, double-blind peer review process. Manuscripts are received and reviewed by the editor-in-chief, who directs them to the appropriate section editor. The section editor sends the manuscript to three independent referees. Referees are selected by the editorial board from among national and international experts in the area relevant to the study. The referees accept or reject the invitation to review the manuscript within two weeks. If they accept, they are expected to return their decision within 21 days. The associate editor reviews the referees' decisions, adds their own feedback, and returns the manuscript to the editor-in-chief, who makes the final decision. In case of disagreement among referees, the editor can assign a new referee.

The editor-in-chief, associate editors, biostatistics consultant, and English language editor may make minor changes to accepted manuscripts before publication, provided they do not fundamentally change the text.

In case of a potential scientific error or suspicion/allegation of ethical infringement in research submitted for evaluation, the Journal reserves the right to submit the manuscript to the supporting institutions or other authorities for investigation. The Journal accepts the responsibility of properly following-up on the issue but does not undertake any responsibility for the actual investigation or any power of decision regarding errors.

The editorial policies and general guidelines for manuscript preparation specified below are based on the "Recommendations for the Conduct, Reporting, Editing, and Publication of Scholarly Work in Medical Journals" from the International Committee of Medical Journal Editors (ICMJE) (2013, archived at <http://www.icmje.org/>).

Research articles, systematic reviews, and meta-analyses should be prepared according to the relevant guidelines:

CONSORT statement for randomized controlled trials (Moher D, Schulz KF, Altman D, for the CONSORT Group. Improving the quality of reports of parallel group randomized trials. JAMA 2001; 285: 1987-91) (<http://www.consort-statement.org/>);

PRISMA statement of preferred reporting items for systematic reviews and meta-analyses (Moher D, Liberati A, Tetzlaff J, Altman DG, The PRISMA Group. Preferred Reporting Items for Systematic Reviews and Meta-Analyses: The PRISMA Statement. PLoS Med 2009; 6(7): e1000097.) (<http://www.prisma-statement.org/>);

STARD checklist for the reporting of studies of diagnostic accuracy (Bossuyt PM, Reitsma JB, Bruns DE, Gatsonis CA, Glasziou PP, Irwig LM, et al., for the STARD Group. Towards complete and accurate reporting of studies of diagnostic accuracy: the STARD initiative. Ann Intern Med 2003; 138:40-4.) (<http://www.stard-statement.org/>);

STROBE statement, a checklist of items that should be included in reports of observational studies (<http://www.strobe-statement.org/>);

MOOSE guidelines for meta-analysis and systemic reviews of observational studies (Stroup DF, Berlin JA, Morton SC, et al. Meta-analysis of observational studies in epidemiology: a proposal for reporting Meta-analysis of observational Studies in Epidemiology (MOOSE) group. JAMA 2000; 283: 2008-12).

GENERAL GUIDELINES

All submissions to TJO are made electronically through the Journal Agent website (<http://journalagent.com/tjo/>). After creating an account, authors can use this system for the online submission and review process. Manuscripts collected in the system are archived according to the rules of the ICMJE, Index Medicus (Medline/PubMed) and Ulakbim-Turkish Medicine Index.

Format: Manuscripts should be prepared using Microsoft Word, size A4 with 2.5 cm margins on all sides, 12 pt Arial font, and 1.5 line spacing.

Abbreviations: Abbreviations should be defined at first mention and used consistently throughout the text thereafter. Internationally accepted abbreviations should be used; refer to scientific writing guides as necessary.

Cover letter: The cover letter should include the manuscript type, a statement confirming that the article is not under consideration for publication by another journal, declaration of all sources of funding and equipment (if applicable) and a conflict of interest statement. In addition, the authors should confirm that articles submitted in English have undergone language editing and that original research articles have been reviewed by a biostatistician.

REFERENCES

Authors are solely responsible for the accuracy of all references.

In-text citations: References should be indicated as a superscript immediately after the period/full stop of the relevant sentence. If the author(s) of a reference is/are indicated at the beginning of the sentence, this reference should be written in superscript immediately after the author's name. Relevant research conducted in Turkey or by Turkish investigators should be cited when possible.

Citing presentations given at scientific meetings, unpublished manuscripts, theses, Internet addresses, and personal interviews or experiences should be avoided. If such references are used, they should be indicated in parentheses at the end of the relevant sentence in the text, without a reference number and written in full, in order to clarify their nature.

References section: References should be numbered consecutively in the order in which they are first mentioned in the text. All authors should be listed regardless of number. The titles of journals should be abbreviated according to the style used in the Index Medicus.

Reference Format

Journal: Last name(s) of the author(s) and initials, article title, publication title and its original abbreviation, publication date, volume, the inclusive page numbers.

Example:

Collin JR, Rathbun JE. Involitional entropion: a review with evaluation of a procedure. Arch Ophthalmol. 1978;96:1058-1064.

INSTRUCTIONS TO AUTHORS

Book: Last name(s) of the author(s) and initials, chapter title, book editors, book title, edition, place of publication, date of publication and inclusive page numbers of the extract cited. Example:

Herbert L. The Infectious Diseases (1st ed). Philadelphia; Mosby Harcourt; 1999:11;1-8.

Book Chapter: Last name(s) of the author(s) and initials, chapter title, book editors, book title, edition, place of publication, date of publication and inclusive page numbers of the cited piece. Example:

O'Brien TP, Green WR. Periocular Infections. In: Feigin RD, Cherry JD, eds. Textbook of Pediatric Infectious Diseases (4th ed). Philadelphia; W.B. Saunders Company; 1998:1273-1278.

Books in which the editor and author are the same person: Last name(s) of the author(s) and initials, chapter title, book editors, book title, edition, place of publication, date of publication and inclusive page numbers of the cited piece. Example:

Solcia E, Capella C, Kloppel G. Tumors of the exocrine pancreas. In: Solcia E, Capella C, Kloppel G, eds. Tumors of the Pancreas. 2nd ed. Washington: Armed Forces Institute of Pathology; 1997:145-210.

FIGURES, TABLES, GRAPHICS, AND IMAGES

All visual materials together with their legends should be located on separate pages following the main text.

Images: Images (pictures) should be numbered and include a brief title. Permission to reproduce pictures that were published elsewhere must be included. All pictures should be of the highest quality possible, in JPEG format, and at a minimum resolution of 300 dpi.

Tables, Graphics, Figures: All tables, graphics or figures should be enumerated according to their sequence within the text and a brief descriptive caption should be written. Any abbreviations used should be defined in the accompanying legend. Tables in particular should be explanatory and facilitate readers' understanding of the manuscript, and should not repeat data presented in the main text.

BIOSTATISTICS

To ensure controllability of research findings, the study design, study sample, and methodological approaches and practices should be explained with appropriate sources referenced.

The "p" value defined as the limit of significance along with appropriate indicators of measurement error and uncertainty (confidence interval, etc.) should be specified. Statistical terms, abbreviations, and symbols used in the article should be described and the software used should be stated. Statistical terminology (random, significant, correlation, etc.) should not be used in non-statistical contexts.

All data and analysis results should be presented as tables and figures and summarized in the text of the Results section. Details of the biostatistical methods and procedures used should be presented in the Materials and Methods section or under a separate Statistics heading before the Results section.

MANUSCRIPT TYPES

Original Research Articles

Includes clinical studies, clinical observations, new techniques, and experimental and in vitro studies. Original

research articles should include a title, structured abstract, keywords relevant to the content of the article, and introduction, materials and methods, results, discussion, study limitations, conclusion, references, tables/figures/images, and acknowledgements sections. The title, abstract, and keywords should be written in both Turkish and English. The manuscript should be formatted as specified in the guidelines above and should not exceed sixteen A4 pages.

Title Page: This page should include the manuscript title, short title, and author name(s) and affiliation(s). The following descriptions should be stated in the given order:

1. Title of the manuscript (Turkish and English), as concise and explanatory as possible, including no abbreviations, up to 135 characters
2. Short title (Turkish and English), up to 60 characters
3. Each author's full name (without abbreviations and academic titles) and affiliation
4. The corresponding author's name, postal address, e-mail address, and phone and fax numbers
5. If the study was presented at a congress and its abstract was published in the congress abstract book, please provide the date and location of the relevant scientific meeting.

Abstract: The article should be summarized in a Turkish abstract not exceeding 250 words and a corresponding English abstract up to 285 words in length. References should not be cited in the abstract. The use of abbreviations in the abstract should be defined and used independently of those used in the main text. For original research articles, the structured abstract should include the following 5 subheadings:

Objectives: The aim of the study should be clearly stated.

Materials and Methods: The study should be described, including selection criteria, design (randomized, retrospective/prospective, etc.), and statistical methods applied, if applicable.

Results: The main results of the study should be stated and the statistical significance level should be indicated.

Conclusion: The results of the study should be summarized and the clinical applicability of the results should be defined.

Keywords: The abstract should be followed by 3 to 5 keywords. Keywords in English should be consistent with the Medical Subject Headings (MESH) terms (www.nlm.nih.gov/mesh/MBrowser.html). Turkish keywords should be direct translations of MESH terms.

The main text of the article should include the following headings:

Introduction: Should consist of a brief background to the subject and the study objective(s), supported by information from the literature.

Materials and Methods: The study plan should be clearly described, including whether the study was randomized and retrospective or prospective, the inclusion and exclusion criteria applied, the patient/sample number and characteristics, and statistical methods used.

Results: The results of the study should be stated, with tables/figures given in numerical order; the results should be evaluated according to the statistical analysis methods applied. See the Tables, Graphics, Figures, And Images section of the General Guidelines for details about the preparation of visual material.

Discussion: The study results should be discussed in terms of their favorable and unfavorable aspects and they should be compared with the literature. The conclusion of the study should be highlighted.

Study Limitations: This section should state which data and analyses could not be included in the study, discuss limitations of the study, and give recommendations for future studies.

Conclusion: Highlights the results obtained and conclusions that can be drawn from the study.

Acknowledgements: Any technical or financial support or editorial contributions (statistical analysis, English/Turkish evaluation) towards the study should appear at the end of the article.

References: Authors are responsible for the accuracy of the references. See the General Guidelines for details about the usage and formatting required.

Case Reports

Case reports should present cases which are rarely seen, feature novelty in diagnosis and treatment, and contribute to our current knowledge. The first page should include the title in Turkish and English, an unstructured Turkish summary up to 150 words in length and a corresponding English abstract not exceeding 175 words, and keywords in both languages. The main text should include the introduction, case presentation, discussion, and references. The entire text should not exceed 5 pages (A4, formatted as specified above).

Review Articles

Review articles can address any aspect of clinical or basic ophthalmology and should be written in a format that describes, discusses, and analyzes the current state of knowledge or clinical use based on the latest evidence and offers directions for future research. Most review articles are invited, but uninvited review submissions are also welcome. Contacting the section editor is recommended before submitting a review.

Reviews articles analyze topics in depth, independently, and without bias. The first section should include Turkish and English titles, unstructured summaries, and keywords. All cited literature should be referenced. The entire text should not exceed 25 pages (A4, formatted as specified above).

Letters to the Editor

Letters to the Editor should be short commentaries related to current developments in ophthalmology and their scientific and social aspects, or may ask questions or offer further contributions in response to articles published in the Journal. Letters do not include a title or an abstract, should not exceed 1,000 words, and can have up to 5 references.

CORRESPONDENCE

All correspondence should be directed to the Journal's secretariat:

Post: Turkish Ophthalmological Association
Avrupa Konutları Kale, Maltepe Mah. Yedikule Çırpıcı Yolu
Sk. 9. Blok No: 2 Kat:1 Ofis:1 Zeytinburnu-Istanbul-Turkey
Phone: +90 212 801 44 36/37 **Fax:** +90 212 801 44 39
Web Page: www.ofthalmoloji.org
E-mail: dergi@ofthalmoloji.org / sekreter@ofthalmoloji.org

CONTENTS

Research Articles

- 157 Dry Eye and Meibomian Gland Dysfunction in Neovascular Age-Related Macular Degeneration Patients Treated with Intravitreal Injections
Pelın Kıyat, Melis Palamar, Serhad Nalçacı, Cezmi Akkin; İzmir, Turkey
- 162 Palliative Efficacy of Intrastromal Amniotic Membrane Procedure in Symptomatic Bullous Keratopathy Patients
Onur Furundaoturan, Melis Palamar, Özlem Barut Selver; İzmir, Turkey
- 168 Evaluation of Choroidal Vascular Index in Amblyopic Patients
Onur Furundaoturan, Cumali Değirmenci, Cezmi Akkin, Elif Demirkılınc Biler, Önder Üretmen, Serhad Nalçacı, Filiz Afrashi; İzmir, Turkey
- 174 Hedgehog Signal Defect Leading to Familial Exudative Vitreoretinopathy-Like Disease and Gastrointestinal Malformation
Nedime Şahinoğlu Keşkek, İmren Akkoyun, Abdülkerim Temiz, Özgür Kütük; Adana, Ankara, Turkey
- 179 Survey of Intravitreal Injection Preferences for the Treatment of Age-Related Macular Degeneration and Macular Edema Among Members of the Turkish Ophthalmological Association
V. Levent Karabaş, Ecem Önder Tokuç, Figen Şermet; Kocaeli, Ankara, Turkey
- 186 Comparison of Reading Test Parameters from the Print and Tablet Application Forms of the Minnesota Low Vision Reading Test
Deniz Altınbay, Esra Şahlı, Şefay Aysun İdil; Adana, Ankara, Turkey
- 193 Investigation of the Role of Convolutional Neural Network Architectures in the Diagnosis of Glaucoma using Color Fundus Photography
Eray Atalay, Onur Özalp, Özer Can Devecioğlu, Hakika Erdoğan, Türker Ince, Nilgün Yıldırım; Eskişehir, İzmir, İstanbul, Turkey
- 201 Effectiveness, Sensitivity, and Specificity of Intraocular Lens Power Calculation Formulas for Short Eyes
Wiktor Stopyra; Cracow, Poland

Case Reports

- 208 Descemet Stripping Endothelial Keratoplasty for Congenital Aniridia: An Interesting and Challenging Story
Ioannis Athanasiadis, Michael Tsatsos, Nikolaos Ziakas; Thessaloniki, Greece; Bedford, UK
- 212 Asymptomatic Unilateral Full-Thickness Macular Hole in a Patient with Bietti Crystalline Dystrophy During 13-Year Follow-up with Optical Coherence Tomography
Ali Osman Saatci, Mustafa Kayabaşı, Remzi Avcı; İzmir, Bursa, Turkey
- 216 Sheath-Preserving Complete Optic Nerve Avulsion Following Closed-Globe Injury: A Case Report
Seray Şahin, Onur Furundaoturan, Mine Esen Barış, Elif Demirkılınc Biler; İzmir, Turkey

Letter to the Editor

- 220 Letter to the Editor re: "Refractive and Vision Status in Down Syndrome: A Comparative Study"
Pathum Sookaromdee, Viroj Wiwanitkit; Bangkok, Thailand; Pune, India

Reply to Letter to the Editor

- 221 Reply to Letter to the Editor re: "Refractive and Vision Status in Down Syndrome: A Comparative Study"
Hassan Hashemi, Shiva Mehravaran, Soheila Asgari, Farzaneh Dehghanian Nasrabadi; Tehran, Iran; Baltimore, MD, USA